



Diethylene Glycol (DEG)

SN	TEST	UNIT	Test Method	Value
1	Purity	WT.%	ASTM E - 202	99.8 MIN
2	MONOETHYLENE GLYCOL	WT.%	ASTM E - 202	0.05 MAX.
3	TRIETHYLENE GLYCOL	WT.%	ASTM E - 202	0.05 MAX.
4	WATER CONTENT	WT.%	ASTM E - 202	0.05 MAX.
5	ACIDITY AS ACETIC ACID	PPM	ASTM D - 1613	50 MAX
6	ASH CONTENT	PPM	ASTM D - 254/A	50 MAX
7	SP. GR. (20/20 °C)	-	ASTM D - 891	1.1175-1.1195
8	COLOR	Pt - Co	ASTM D - 1209	10 MAX
9	DISTILLATION @ 760 MM-Hg	-	-	-
10	IBP	°C	ASTM D - 1078	242 MIN
11	DP	°C	ASTM D - 1078	250 MAX