



## Solvent 100 (C9)

SN	TEST	Test Method	Value
1	Specific Gravity 15.6/15.6 °C	ASTM D4052	0.86 – 0.88
2	Density @ 15 °C	ASTM D4052	Report
3	Colour, Saybolt	ASTM D156	Min + 30
4	Distillation range, 760 mmHg IBP, °C DP, °C	ASTM D1078	Min 155 Max 180
5	Flashpoint, TCC, °C	ASTM D56	Min 40
6	Mixed Aniline Point, °C	ASTM D611	Max 17
7	Aromatics, vol %	GC	Min 98.5
8	Copper Corrosion	ASTM D849	Pass (1A or 1B)